

Lecture 7: Regression Discontinuity, 1 of 2

February 25, 2026

Course Administration

- 1 Library visit!

Course Administration

- ① Library visit!
- ② PS 3 due next lecture
- ③ If you still need approval for your replication paper, I am worried
- ④ March 18: quantitative summary due
- ⑤ No class April 15, Lecture 13
 - Instead, 20 minute consultations
 - April 2, 9, and 10
 - Link to sign-up in lecture 13 online
 - email me if you can't make any times

Course Administration

- 1 Library visit!
- 2 PS 3 due next lecture
- 3 If you still need approval for your replication paper, I am worried
- 4 March 18: quantitative summary due
- 5 No class April 15, Lecture 13
 - Instead, 20 minute consultations
 - April 2, 9, and 10
 - Link to sign-up in lecture 13 online
 - email me if you can't make any times
- 6 Please come see me about your replication paper
- 7 Presentations
 - Assigned to presentations April 8 and 22
 - I expect you both days
- 8 Problem set 2 quiz
- 9 Summary update
- 10 Any other issues?

Two motivating examples

- 1 Almond on the flu
- 2 Lee on incumbency

Theoretical framework

- 1 General framework
- 2 "Precise control"
- 3 Potential outcomes
- 4 RD and IV
- 5 Vis-a-vis experiments
- 6 Test for credibility
- 7 Role of covariates
- 8 Generalizability

How-to steps

- 1 Find a credible discontinuity
- 2 Make a graph
- 3 Do a RD regression
- 4 Test for validity

Anderson on congestion

- 1 research question, endogeneity & data
- 2 discontinuity
- 3 estimation
- 4 validation
- 5 results

Two Motivating Examples

Two Motivating Examples

- ① Almond on the Spanish flu
- ② Lee on value of incumbency

Almond Examines In-Utero Influeza Exposure

- Big research question: how does maternal health affect long-term health?
- fetal origins hypothesis says that “certain chronic health conditions can be traced to the course of fetal development” (p. 672)
- Why not look at the impact of maternal health during pregnancy on child outcomes?

Almond Examines In-Utero Influeza Exposure

- Big research question: how does maternal health affect long-term health?
- fetal origins hypothesis says that “certain chronic health conditions can be traced to the course of fetal development” (p. 672)
- Why not look at the impact of maternal health during pregnancy on child outcomes? better maternal health while in utero is correlated with positive unobservables for kid

Almond Examines In-Utero Influeza Exposure

- Big research question: how does maternal health affect long-term health?
- fetal origins hypothesis says that “certain chronic health conditions can be traced to the course of fetal development” (p. 672)
- Why not look at the impact of maternal health during pregnancy on child outcomes? better maternal health while in utero is correlated with positive unobservables for kid
- Solution: use the 1918 influenza pandemic as a “natural experiment”


[Link](#) To “Is the 1918 Influenza Pandemic Over? Long-Term Effects of *In Utero* Influenza Exposure in the Post-1940 U.S. Population”

The Discontinuity: Arrival of the Flu

- Flu struck without warning in October 1918
- Mostly gone by beginning of 1919
- Very very big
- Influences kids in utero 1918Q4 to 1919Q2
- → births in (potentially) 1919Q1 to 1919Q4
- Fuzzy discontinuity

The Discontinuity: Arrival of the Flu

- Flu struck without warning in October 1918
- Mostly gone by beginning of 1919
- Very very big
- Influences kids in utero 1918Q4 to 1919Q2
- → births in (potentially) 1919Q1 to 1919Q4
- Fuzzy discontinuity



The Outcome(s): Health and Education

- Focus on births 1919Q1 to 1919Q4
- Measure “cohort departure”:

$$y_i = \beta_0 + \beta_1 1\{YOB = 1919\} \\ + \beta_2 YOB + \beta_3 YOB^2 + \epsilon_i$$

- is this “treatment on the treated” or “intent to treat”?

The Outcome(s): Health and Education

- Focus on births 1919Q1 to 1919Q4
- Measure “cohort departure”:

$$y_i = \beta_0 + \beta_1 1\{\text{YOB} = 1919\} \\ + \beta_2 \text{YOB} + \beta_3 \text{YOB}^2 + \epsilon_i$$


- is this “treatment on the treated” or “intent to treat”?
- Intent to treat: we are average over the treated and the untreated
- We don't know whose mom got the flu!

The Outcome(s): Health and Education

- Focus on births 1919Q1 to 1919Q4
- Measure “cohort departure”:

$$y_i = \beta_0 + \beta_1 1\{YOB = 1919\} + \beta_2 YOB + \beta_3 YOB^2 + \epsilon_i$$

- is this “treatment on the treated” or “intent to treat”?
- Intent to treat: we are average over the treated and the untreated
- We don’t know whose mom got the flu!



Lee: Power of Incumbency

- How much does being an incumbent help the party in control retain the office in the next election?
- Why not look directly at relationship between incumbency and winning?

Lee: Power of Incumbency

- How much does being an incumbent help the party in control retain the office in the next election?
- Why not look directly at relationship between incumbency and winning?
incumbents should be better politicians! they won in the first place

Lee: Power of Incumbency

- How much does being an incumbent help the party in control retain the office in the next election?
- Why not look directly at relationship between incumbency and winning?
incumbents should be better politicians! they won in the first place
- So instead, compare districts with “close” elections and incumbents to districts with close elections and no incumbents, so that the winner is “as good as random”

Lee (2008)

Power of Incumbency


- The “first stage” is winning the election the first time
- A sharp discontinuity – incumbent or not at 50%

Power of Incumbency

- The “first stage” is winning the election the first time
- A sharp discontinuity – incumbent or not at 50%
- The “second stage” is looking at the impact of winning election at time t on election at time $t + 1$

Power of Incumbency

- The “first stage” is winning the election the first time
- A sharp discontinuity – incumbent or not at 50%
- The “second stage” is looking at the impact of winning election at time t on election at time $t + 1$



RD: Theory

The RD Theoretical Background

- ① General framework
- ② Understanding “precisely control”
- ③ In potential outcomes framework
- ④ RD and IV
- ⑤ RD vis-a-vis experiments
- ⑥ Tests for credibility
- ⑦ Role of covariates
- ⑧ Generalizability

Largely based on [Lee and Leemieux, 2009](#)

RD: Theory: 1. General Framework

The General Problem

- We are interested in $Y = \alpha + D\tau + X\beta + \epsilon$
- D is treatment
- X is the “assignment variable,” because it assigns treatment; also known as the “forcing variable”
- D varies discontinuously at the treatment point
 - $D \in \{0, 1\}$
 - $D = 1$ if $X \geq c$ and $D = 0$ if $X < c$
- units should not have “precise control” over the value of X

Sharp Discontinuous Treatment at Cut-off of Assignment Variable



Fuzzy Discontinuous Treatment at Cut-off of Assignment Variable



RD: Theory: 2. Precise Control

“Precisely” is So Important It Gets Its Own Slide

- Cut-off and outcomes where you cannot “precisely control” treatment

“Precisely” is So Important It Gets Its Own Slide

- Cut-off and outcomes where you cannot “precisely control” treatment
 - Medicare eligibility at age 65
 - Legal drinking and 21st birthday

“Precisely” is So Important It Gets Its Own Slide

- Cut-off and outcomes where you cannot “precisely control” treatment
 - Medicare eligibility at age 65
 - Legal drinking and 21st birthday
- Cut-offs and outcomes where you can control behavior

“Precisely” is So Important It Gets Its Own Slide

- Cut-off and outcomes where you cannot “precisely control” treatment
 - Medicare eligibility at age 65
 - Legal drinking and 21st birthday
- Cut-offs and outcomes where you can control behavior
 - Age at school start – in many jurisdictions the birthdate cut off is not enforced
 - Age at first Covid vaccination – age cut-off was not strictly enforced

RD: Theory: 3. Potential Outcomes

Using the Potential Outcomes Framework

- Recall Y_{0i} is you without treatment, and Y_{1i} is you with treatment
- We are interested in $Y_{1i} - Y_{0i}$

Using the Potential Outcomes Framework

- Recall Y_{0i} is you without treatment, and Y_{1i} is you with treatment
- We are interested in $Y_{1i} - Y_{0i}$
- But in the absence of sci-fi, we don't observe this, so we settle for the population average:
 $Y_{1i} - Y_{0i}$, or $E(Y_{1i}|X) - E(Y_{0i}|X)$

Potential Outcomes and RD

With RD, we observe

- $E(Y_{0i})$ on one side of the discontinuity
- $E(Y_{1i})$ on the other

Potential Outcomes and RD

With RD, we observe

- $E(Y_{0i})$ on one side of the discontinuity
- $E(Y_{1i})$ on the other

We are interested in the difference at the discontinuity, or

$$B - A = \lim_{\epsilon \downarrow 0} E(Y_i | X_i = c + \epsilon) - \lim_{\epsilon \uparrow 0} E(Y_i | X_i = c + \epsilon) = E(Y_{1i} - Y_{0i} | X = c)$$

Potential Outcomes and RD

With RD, we observe


- $E(Y_{0i})$ on one side of the discontinuity
- $E(Y_{1i})$ on the other

We are interested in the difference at the discontinuity, or

$$B - A = \lim_{\epsilon \downarrow 0} E(Y_i | X_i = c + \epsilon) - \lim_{\epsilon \uparrow 0} E(Y_i | X_i = c + \epsilon) = E(Y_{1i} - Y_{0i} | X = c)$$


We can interpret this as the average treatment effect at the cutoff

Potential Outcomes in Figures



Based on Lee and Lemieux (2010)

Potential Outcomes in Figures



Based on Lee and Lemieux (2010)

Potential Outcomes in Figures




Based on Lee and Lemieux (2010)

Potential Outcomes in Figures



Based on Lee and Lemieux (2010)

Potential Outcomes in Figures



Based on Lee and Lemieux (2010)

RD: Theory: 3. RD vs IV

How is RD like IV?

In IV, we studied the Wald Estimator

$$\hat{\beta}_{IV} = \frac{E(Y|Z = 1) - E(Y|Z = 0)}{E(X|Z = 1) - E(X|Z = 0)}$$

How is RD like IV?

In IV, we studied the Wald Estimator

$$\hat{\beta}_{IV} = \frac{E(Y|Z = 1) - E(Y|Z = 0)}{E(X|Z = 1) - E(X|Z = 0)}$$

In RD, we are interested in

$\delta_{\text{Fuzzy RD}} =$

$$\frac{\lim_{x \rightarrow c_0} E[Y|X=c_0] - \lim_{c_0 \rightarrow x} E[Y|X=c_0]}{\lim_{x \rightarrow c_0} E[D|X=c_0] - \lim_{c_0 \rightarrow x} E[D|X=c_0]}$$

How is RD like IV?

In IV, we studied the Wald Estimator

$$\hat{\beta}_{IV} = \frac{E(Y|Z = 1) - E(Y|Z = 0)}{E(X|Z = 1) - E(X|Z = 0)}$$

In RD, we are interested in

$$\delta_{\text{Fuzzy RD}} = \frac{\lim_{x \rightarrow c_0} E[Y|X=c_0] - \lim_{c_0 \rightarrow x} E[Y|X=c_0]}{\lim_{x \rightarrow c_0} E[D|X=c_0] - \lim_{c_0 \rightarrow x} E[D|X=c_0]}$$

Angrist says fuzzy RD is IV

RD: Theory: 4. RD vs Experiments

How is a RD Like an Experiment?

- If the discontinuity is credible, the only difference between treated and control is the treatment
- The potential outcome doesn't vary by assignment variable, since the assignment variable is random at the discontinuity

RD: Theory: 5. Tests for Credibility

Tests for Credibility

From Lee and Lemieux, p 7-8

“All other factors determining Y must be evolving ‘smoothly’ with respect to X ” (p. 7-8)

- pre-determined observable covariates should not jump at discontinuity
- examples of what should be smooth at discontinuity in one of the example papers?

Tests for Credibility

From Lee and Lemieux, p 7-8

“All other factors determining Y must be evolving ‘smoothly’ with respect to X ” (p. 7-8)

- pre-determined observable covariates should not jump at discontinuity
- examples of what should be smooth at discontinuity in one of the example papers?
 - Almond paper: parental income
 - Lee: characteristics of congressional districts

More Credibility

No bunching at the discontinuity: Test due to McCrary (2008)

- “bunching” means more observations near the discontinuity

More Credibility

No bunching at the discontinuity: Test due to McCrary (2008)

- “bunching” means more observations near the discontinuity
- If people are bunching at the discontinuity → people can precisely manipulate behavior
- What circumstances would lead to bunching at a discontinuity?

More Credibility

No bunching at the discontinuity: Test due to McCrary (2008)


- “bunching” means more observations near the discontinuity
- If people are bunching at the discontinuity → people can precisely manipulate behavior
- What circumstances would lead to bunching at a discontinuity?
- Self-employed people and the EITC, if we want to use EITC income as an experiment

Why the Almond Paper Ends Up Not Being Credible

If parental socioeconomic status follows the regression discontinuity assumptions, what do we expect?


Why the Almond Paper Ends Up Not Being Credible

If parental socioeconomic status follows the regression discontinuity assumptions, what do we expect? Who disappears in 1917?



See full critique in Beach et al 2022, *Journal of Political Economy*, [link](#)

Men Go to War in 1918, Especially High SES Ones



RD: Theory: 6. Covariates

Covariates Are Not Strictly Necessary

- Like in an experiment, if the RD is ok, you don't need to include covariates as controls.
- But you might include them to reduce the sampling variability
- aka: lower the standard errors

RD: Theory: 7. Generalizability

Generalizability

- We worry about internal and external validity
- Do you know what these are?

Generalizability

- We worry about internal and external validity
- Do you know what these are?
- This limitation of RD also holds experiments

RD: How-to

RD How-to

- ① Find a credible discontinuity
- ② Make a graph
- ③ Do a RD regression
- ④ Test for validity

1. Find a Credible Discontinuity

- Ask: “are individuals able to influence the assignment variables, and if so, what is the nature of this control?”
- If
 - ① you can control the assignment variable
AND
 - ② there is a perceived benefit (or cost) to the treatment
- → halt!

1. Find a Credible Discontinuity

- Ask: “are individuals able to influence the assignment variables, and if so, what is the nature of this control?”
- If
 - ① you can control the assignment variable
AND
 - ② there is a perceived benefit (or cost) to the treatment
- → halt!
- → people on one side are systematically different than people on the other

2. Make a Graph

Plot running variable versus

2. Make a Graph

Plot running variable versus

- ① treatment variable
- ② outcome variable
- ③ number of observations

2. Make a Graph

Plot running variable versus

- ① treatment variable
- ② outcome variable
- ③ number of observations

What does this do for you?

2. Make a Graph

Plot running variable versus

- 1 treatment variable
- 2 outcome variable
- 3 number of observations

What does this do for you?

- 1 shows the RD
- 2 shows the causal effect
- 3 tests for validity

Graph Details

- Divide the assignment variable into bins
- Make sure no bins are divided by cut-off
- Calculate average treatment, outcome and number of obs for each bin
- Graph
- Graph helps you think about the right functional form for the regression
- Lets you see other jumps – which would be concerning

What Size Bins?

- If bins are too narrow, estimates are unprecise – too noisy
- If bins are too wide, estimates may be biased – smoothing too much by the cut-off

What Size Bins?

- If bins are too narrow, estimates are unprecise – too noisy
- If bins are too wide, estimates may be biased – smoothing too much by the cut-off
- Intuitively, bins should be narrow enough that there is no slope in the outcome variable within the bin (that's what causes bias)
- But there are other goals too, so this isn't the only priority
- There are “methods” but not clear answer

3. Do a RD regression

- In general, the form is

$$Y_i = \alpha_0 + \alpha_1 D + \alpha_2 f(X - c) + \alpha_3 D * f(X - c) + \alpha_4 Q + \epsilon$$

- What is the coefficient of interest here?

3. Do a RD regression

- In general, the form is

$$Y_i = \alpha_0 + \alpha_1 D + \alpha_2 f(X - c) + \alpha_3 D * f(X - c) + \alpha_4 Q + \epsilon$$

- What is the coefficient of interest here? α_1

3. Do a RD regression

- In general, the form is

$$Y_i = \alpha_0 + \alpha_1 D + \alpha_2 f(X - c) + \alpha_3 D * f(X - c) + \alpha_4 Q + \epsilon$$

- What is the coefficient of interest here? α_1
- Why do we include the α_3 term?

Two RD Flavors

Non-parametric

- kernel regressions, but these perform poorly at the boundary
- some rules about kernels may be available

Two RD Flavors

Non-parametric

- kernel regressions, but these perform poorly at the boundary
- some rules about kernels may be available

Parametric

- assume linearity, which can also lead to bias if it's wrong
- regressions with polynomial functions of X included
 - $X + X^2 + X^3 + X^4 + \dots$
 - uses info far from the cut-off to inform us about behavior at the cut-off

Further Considerations on Flavor

- Do not run a regression with info on both sides of the discontinuity: this constrains the slope of X to be the same
- Make sure you include an interaction between D and X
- “since the RD estimate requires data away from the cutoff, the estimate will be dependent on the chosen functional form” (p. 8)

4. Tests for Validity

- Inspect the histogram for the assignment variable
- Inspect baseline covariates versus running variable
- If things are ok, what should your graph(s) look like?

4. Tests for Validity

- Inspect the histogram for the assignment variable
- Inspect baseline covariates versus running variable
- If things are ok, what should your graph(s) look like?
- No discontinuity at the discontinuity

Anderson:
Research Question, Endogeneity, and Data

What is the Major Research Question?

The general and the specific research questions

What is the Major Research Question?

The general and the specific research questions

- Does public transit impact road congestion?

What is the Major Research Question?

The general and the specific research questions

- Does public transit impact road congestion?
- Does the LA strike impact road congestion?

What is the Major Research Question?

The general and the specific research questions

- Does public transit impact road congestion?
- Does the LA strike impact road congestion?

Why not just an OLS of ridership on congestion?

What is the Major Research Question?

The general and the specific research questions

- Does public transit impact road congestion?
- Does the LA strike impact road congestion?

Why not just an OLS of ridership on congestion?

- Congestion should also cause ridership
- A third common factor could ridership and congestion (big event?)

Data

- Detector – what's that?

Data

- Detector – what's that?
- What's the unit of observation?

- Detector – what's that?
- What's the unit of observation? a detector-by-hour observation

Discontinuity, Estimation and Validity

What's the Discontinuity?

What's the Discontinuity?

- What is the running variable?

What's the Discontinuity?

- What is the running variable? time

What's the Discontinuity?

- What is the running variable? time
- Discontinuity?

What's the Discontinuity?

- What is the running variable? time
- Discontinuity? The start date of the strike

What's the Discontinuity?

- What is the running variable? time
- Discontinuity? The start date of the strike
- What is discontinuous at this date?

What's the Discontinuity?

- What is the running variable? time
- Discontinuity? The start date of the strike
- What is discontinuous at this date? public transit service: goes from 1 to 0

What's the Discontinuity?

- What is the running variable? time
- Discontinuity? The start date of the strike
- What is discontinuous at this date? public transit service: goes from 1 to 0
- What about the end date of the strike?

What's the Discontinuity?

- What is the running variable? time
- Discontinuity? The start date of the strike
- What is discontinuous at this date? public transit service: goes from 1 to 0
- What about the end date of the strike? Not a good discontinuity because services ramp up

What's the Discontinuity?

- What is the running variable? time
- Discontinuity? The start date of the strike
- What is discontinuous at this date? public transit service: goes from 1 to 0
- What about the end date of the strike? Not a good discontinuity because services ramp up
- Usually papers like this show a figure with discontinuity in the treatment
- Why not here?

Estimating Equation

$$y_{i,t} = \alpha + \beta \text{strike}_{i,t} + \gamma_1 \text{date}_{i,t} + \gamma_2 \text{date}_{i,t} * \text{strike}_{i,t} + \delta X_{i,t} + \epsilon$$

- Which is the coefficient of interest?

Estimating Equation

$$y_{i,t} = \alpha + \beta \text{strike}_{i,t} + \gamma_1 \text{date}_{i,t} + \gamma_2 \text{date}_{i,t} * \text{strike}_{i,t} + \delta X_{i,t} + \epsilon$$

- Which is the coefficient of interest?
- How do we interpret β ?

Estimating Equation

$$y_{i,t} = \alpha + \beta \text{strike}_{i,t} + \gamma_1 \text{date}_{i,t} + \gamma_2 \text{date}_{i,t} * \text{strike}_{i,t} + \delta X_{i,t} + \epsilon$$

- Which is the coefficient of interest?
- How do we interpret β ?
- Why is this not a difference-in-difference?

Estimating Equation

$$y_{i,t} = \alpha + \beta \text{strike}_{i,t} + \gamma_1 \text{date}_{i,t} + \gamma_2 \text{date}_{i,t} * \text{strike}_{i,t} + \delta X_{i,t} + \epsilon$$

- Which is the coefficient of interest?
- How do we interpret β ?
- Why is this not a difference-in-difference?
 - because date enters linearly
 - we care about jump at threshold, not average difference
- Could you do a diff-in-diff here?

Estimating Equation

$$y_{i,t} = \alpha + \beta \text{strike}_{i,t} + \gamma_1 \text{date}_{i,t} + \gamma_2 \text{date}_{i,t} * \text{strike}_{i,t} + \delta X_{i,t} + \epsilon$$

- Which is the coefficient of interest?
- How do we interpret β ?
- Why is this not a difference-in-difference?
 - because date enters linearly
 - we care about jump at threshold, not average difference
- Could you do a diff-in-diff here?
- What's the diff vs diff-in-diff?

Estimating Equation

$$y_{i,t} = \alpha + \beta \text{strike}_{i,t} + \gamma_1 \text{date}_{i,t} + \gamma_2 \text{date}_{i,t} * \text{strike}_{i,t} + \delta X_{i,t} + \epsilon$$

- Which is the coefficient of interest?
- How do we interpret β ?
- Why is this not a difference-in-difference?
 - because date enters linearly
 - we care about jump at threshold, not average difference
- Could you do a diff-in-diff here?
- What's the diff vs diff-in-diff? RD isolates to just the jump afterward

More Estimation Concerns

$$y_{i,t} = \alpha + \beta \text{strike}_{i,t} + \gamma_1 \text{date}_{i,t} + \gamma_2 \text{date}_{i,t} * \text{strike}_{i,t} + \delta X_{i,t} + \epsilon$$

- Authors write “we estimate a local linear regression. ... [which] requires a kernel function and a bandwidth.”

More Estimation Concerns

$$y_{i,t} = \alpha + \beta \text{strike}_{i,t} + \gamma_1 \text{date}_{i,t} + \gamma_2 \text{date}_{i,t} * \text{strike}_{i,t} + \delta X_{i,t} + \epsilon$$

- Authors write “we estimate a local linear regression. ... [which] requires a kernel function and a bandwidth.”
- They use a “uniform kernel” = equal weight on all obs!
- Bandwidth of 28 days before and after → just use 28 days before and after
- What are the benefits of a “local” estimation?

Identification and Validity

- If this is a “good” discontinuity, what should we see?

Identification and Validity

- If this is a “good” discontinuity, what should we see?
- Everything else “evolves smoothly across the cut-off”

Identification and Validity

- If this is a “good” discontinuity, what should we see?
- Everything else “evolves smoothly across the cut-off”
- What should evolve smoothly here?

Identification and Validity

- If this is a “good” discontinuity, what should we see?
- Everything else “evolves smoothly across the cut-off”
- What should evolve smoothly here?
- Alternatively, what could bias these estimates?

Identification and Validity

- If this is a “good” discontinuity, what should we see?
- Everything else “evolves smoothly across the cut-off”
- What should evolve smoothly here?
- Alternatively, what could bias these estimates?
 - weather changes
 - stock market value
 - good tv show that people rush home to watch

Identification and Validity

- If this is a “good” discontinuity, what should we see?
- Everything else “evolves smoothly across the cut-off”
- What should evolve smoothly here?
- Alternatively, what could bias these estimates?
 - weather changes
 - stock market value
 - good tv show that people rush home to watch
- What can you do to test these?

Results

What do Summary Stats Tell Us?

TABLE 3—SUMMARY STATISTICS

| | Unweighted statistics | | VMT-weighted statistics | |
|--|-----------------------|------------------|-------------------------|------------------|
| | No strike | During strike | No strike | During strike |
| Lanes | 3.3 (1.4) | 3.3 (1.4) | 3.2 (1.5) | 3.2 (1.5) |
| Total flow (vehicles per hour) | 4,619 (2,602) | 4,604 (2,531) | 4,401 (2,730) | 4,355 (2,674) |
| Average speed (mph) | 53.3 (15.9) | 49.3 (17.4) | 52.8 (16.6) | 48.3 (17.9) |
| Delay relative to 55 mph (minutes per mile) | 0.35 (0.83) | 0.52 (1.05) | 0.37 (0.81) | 0.55 (1.01) |
| Delay relative to 60 mph (minutes per mile) | 0.39 (0.85) | 0.57 (1.07) | 0.41 (0.83) | 0.61 (1.04) |
| Delay relative to 65 mph (minutes per mile) | 0.43 (0.87) | 0.62 (1.09) | 0.45 (0.85) | 0.66 (1.05) |
| Average share of time occupied | 0.101 (0.072) | 0.115 (0.082) | 0.110 (0.071) | 0.125 (0.080) |
| Detectors in service | 720 | 640 | 720 | 640 |
| Sample size | 509,946 | 110,844 | 509,946 | 110,844 |

Notes: The observation is the detector-hour. Parentheses contain standard deviations. See text for description of weights.

- What's the aim of this table? (Table 3, p. 2776)
- Or, if the estimation is working properly, what should Table 3 show?

What do Summary Stats Tell Us?

TABLE 3—SUMMARY STATISTICS

| | Unweighted statistics | | VMT-weighted statistics | |
|--|-----------------------|------------------|-------------------------|------------------|
| | No strike | During strike | No strike | During strike |
| Lanes | 3.3 (1.4) | 3.3 (1.4) | 3.2 (1.5) | 3.2 (1.5) |
| Total flow (vehicles per hour) | 4,619 (2,602) | 4,604 (2,531) | 4,401 (2,730) | 4,355 (2,674) |
| Average speed (mph) | 53.3 (15.9) | 49.3 (17.4) | 52.8 (16.6) | 48.3 (17.9) |
| Delay relative to 55 mph (minutes per mile) | 0.35 (0.83) | 0.52 (1.05) | 0.37 (0.81) | 0.55 (1.01) |
| Delay relative to 60 mph (minutes per mile) | 0.39 (0.85) | 0.57 (1.07) | 0.41 (0.83) | 0.61 (1.04) |
| Delay relative to 65 mph (minutes per mile) | 0.43 (0.87) | 0.62 (1.09) | 0.45 (0.85) | 0.66 (1.05) |
| Average share of time occupied | 0.101 (0.072) | 0.115 (0.082) | 0.110 (0.071) | 0.125 (0.080) |
| Detectors in service | 720 | 640 | 720 | 640 |
| Sample size | 509,946 | 110,844 | 509,946 | 110,844 |

Notes: The observation is the detector-hour. Parentheses contain standard deviations. See text for description of weights.

- What's the aim of this table? (Table 3, p. 2776)
- Or, if the estimation is working properly, what should Table 3 show?
- All non-strike-related variables should be the same

What do Summary Stats Tell Us?

TABLE 3—SUMMARY STATISTICS

| | Unweighted statistics | | VMT-weighted statistics | |
|--|-----------------------|------------------|-------------------------|------------------|
| | No strike | During strike | No strike | During strike |
| Lanes | 3.3 (1.4) | 3.3 (1.4) | 3.2 (1.5) | 3.2 (1.5) |
| Total flow (vehicles per hour) | 4,619 (2,602) | 4,604 (2,531) | 4,401 (2,730) | 4,355 (2,674) |
| Average speed (mph) | 53.3 (15.9) | 49.3 (17.4) | 52.8 (16.6) | 48.3 (17.9) |
| Delay relative to 55 mph (minutes per mile) | 0.35 (0.83) | 0.52 (1.05) | 0.37 (0.81) | 0.55 (1.01) |
| Delay relative to 60 mph (minutes per mile) | 0.39 (0.85) | 0.57 (1.07) | 0.41 (0.83) | 0.61 (1.04) |
| Delay relative to 65 mph (minutes per mile) | 0.43 (0.87) | 0.62 (1.09) | 0.45 (0.85) | 0.66 (1.05) |
| Average share of time occupied | 0.101 (0.072) | 0.115 (0.082) | 0.110 (0.071) | 0.125 (0.080) |
| Detectors in service | 720 | 640 | 720 | 640 |
| Sample size | 509,946 | 110,844 | 509,946 | 110,844 |

Notes: The observation is the detector-hour. Parentheses contain standard deviations. See text for description of weights.

- What's the aim of this table? (Table 3, p. 2776)
- Or, if the estimation is working properly, what should Table 3 show?
- All non-strike-related variables should be the same
- Should we worry about the number of detectors variable?

What do Summary Stats Tell Us?

TABLE 3—SUMMARY STATISTICS

| | Unweighted statistics | | VMT-weighted statistics | |
|--|-----------------------|------------------|-------------------------|------------------|
| | No strike | During strike | No strike | During strike |
| Lanes | 3.3 (1.4) | 3.3 (1.4) | 3.2 (1.5) | 3.2 (1.5) |
| Total flow (vehicles per hour) | 4,619 (2,602) | 4,604 (2,531) | 4,401 (2,730) | 4,355 (2,674) |
| Average speed (mph) | 53.3 (15.9) | 49.3 (17.4) | 52.8 (16.6) | 48.3 (17.9) |
| Delay relative to 55 mph (minutes per mile) | 0.35 (0.83) | 0.52 (1.05) | 0.37 (0.81) | 0.55 (1.01) |
| Delay relative to 60 mph (minutes per mile) | 0.39 (0.85) | 0.57 (1.07) | 0.41 (0.83) | 0.61 (1.04) |
| Delay relative to 65 mph (minutes per mile) | 0.43 (0.87) | 0.62 (1.09) | 0.45 (0.85) | 0.66 (1.05) |
| Average share of time occupied | 0.101 (0.072) | 0.115 (0.082) | 0.110 (0.071) | 0.125 (0.080) |
| Detectors in service | 720 | 640 | 720 | 640 |
| Sample size | 509,946 | 110,844 | 509,946 | 110,844 |

Notes: The observation is the detector-hour. Parentheses contain standard deviations. See text for description of weights.

- What's the aim of this table? (Table 3, p. 2776)
- Or, if the estimation is working properly, what should Table 3 show?
- All non-strike-related variables should be the same
- Should we worry about the number of detectors variable?
- How do we measure delay?

60/speed — 1

Main RD Picture

- What are the dots?




FIGURE 2. WEEKLY PEAK HOUR DELAY ON MAJOR LOS ANGELES FREEWAYS, 7/14/2003 TO 1/30/2004

Main RD Picture

- What are the dots?
 - axis says they are “weekly average delay in peak periods weighted by VMT”
 - but they are actually the residuals from a regression of delay on day of week




FIGURE 2. WEEKLY PEAK HOUR DELAY ON MAJOR LOS ANGELES FREEWAYS, 7/14/2003 TO 1/30/2004

Main RD Picture

- What are the dots?
 - axis says they are “weekly average delay in peak periods weighted by VMT”
 - but they are actually the residuals from a regression of delay on day of week
- What are the lines?




FIGURE 2. WEEKLY PEAK HOUR DELAY ON MAJOR LOS ANGELES FREEWAYS, 7/14/2003 TO 1/30/2004

Main RD Picture

- What are the dots?
 - axis says they are “weekly average delay in peak periods weighted by VMT”
 - but they are actually the residuals from a regression of delay on day of week
- What are the lines?
 - not sure the text is clear about this
 - I think they are a true local linear regression (b/c they are wiggly)
 - they are not based on the dots in the picture, I don't think




FIGURE 2. WEEKLY PEAK HOUR DELAY ON MAJOR LOS ANGELES FREEWAYS, 7/14/2003 TO 1/30/2004

Main RD Picture

- What are the dots?
 - axis says they are “weekly average delay in peak periods weighted by VMT”
 - but they are actually the residuals from a regression of delay on day of week
- What are the lines?
 - not sure the text is clear about this
 - I think they are a true local linear regression (b/c they are wiggly)
 - they are not based on the dots in the picture, I don't think
- How do we see the main result in this figure?




FIGURE 2. WEEKLY PEAK HOUR DELAY ON MAJOR LOS ANGELES FREEWAYS, 7/14/2003 TO 1/30/2004

Main RD Picture

- What are the dots?
 - axis says they are “weekly average delay in peak periods weighted by VMT”
 - but they are actually the residuals from a regression of delay on day of week
- What are the lines?
 - not sure the text is clear about this
 - I think they are a true local linear regression (b/c they are wiggly)
 - they are not based on the dots in the picture, I don't think
- How do we see the main result in this figure? jump at week 13




FIGURE 2. WEEKLY PEAK HOUR DELAY ON MAJOR LOS ANGELES FREEWAYS, 7/14/2003 TO 1/30/2004

Variation by Location

- Which is the coefficient of interest?

TABLE 4—EFFECT OF STRIKE ON DELAYS DURING ALL PEAK HOURS

| Average delay (in minutes per mile) | (1) | (2) | (3) | (4) | (5) | (6) |
|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Strike | 0.194 (0.041) | 0.332 (0.076) | 0.218 (0.052) | 0.190 (0.051) | 0.357 (0.128) | 0.125 (0.042) |
| Date | -0.004 (0.002) | -0.003 (0.003) | -0.002 (0.002) | -0.003 (0.002) | -0.005 (0.004) | -0.005 (0.002) |
| Date × strike | 0.007 (0.002) | 0.006 (0.003) | -0.001 (0.002) | 0.007 (0.003) | 0.012 (0.007) | 0.007 (0.002) |
| Average delay prestrike | 0.409 | 0.369 | 0.264 | 0.357 | 0.600 | 0.434 |
| Freeways | All | 101 | 105 | 110 and 710 | 10 | Other |
| Parallel transit line | | Red line | Green line | Blue line | Rapid 720 | |
| Sample size | 178,549 | 15,854 | 31,058 | 19,152 | 15,357 | 97,128 |

Variation by Location

- Which is the coefficient of interest? strike
- Interpret the coefficient of 0.19:

TABLE 4—EFFECT OF STRIKE ON DELAYS DURING ALL PEAK HOURS

| Average delay (in minutes per mile) | (1) | (2) | (3) | (4) | (5) | (6) |
|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Strike | 0.194 (0.041) | 0.332 (0.076) | 0.218 (0.052) | 0.190 (0.051) | 0.357 (0.128) | 0.125 (0.042) |
| Date | -0.004 (0.002) | -0.003 (0.003) | -0.002 (0.002) | -0.003 (0.002) | -0.005 (0.004) | -0.005 (0.002) |
| Date × strike | 0.007 (0.002) | 0.006 (0.003) | -0.001 (0.002) | 0.007 (0.003) | 0.012 (0.007) | 0.007 (0.002) |
| Average delay prestrike | 0.409 | 0.369 | 0.264 | 0.357 | 0.600 | 0.434 |
| Freeways | All | 101 | 105 | 110 and 710 | 10 | Other |
| Parallel transit line | | Red line | Green line | Blue line | Rapid 720 | |
| Sample size | 178,549 | 15,854 | 31,058 | 19,152 | 15,357 | 97,128 |

Variation by Location

TABLE 4—EFFECT OF STRIKE ON DELAYS DURING ALL PEAK HOURS

| Average delay (in minutes per mile) | (1) | (2) | (3) | (4) | (5) | (6) |
|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Strike | 0.194 (0.041) | 0.332 (0.076) | 0.218 (0.052) | 0.190 (0.051) | 0.357 (0.128) | 0.125 (0.042) |
| Date | -0.004 (0.002) | -0.003 (0.003) | -0.002 (0.002) | -0.003 (0.002) | -0.005 (0.004) | -0.005 (0.002) |
| Date × strike | 0.007 (0.002) | 0.006 (0.003) | -0.001 (0.002) | 0.007 (0.003) | 0.012 (0.007) | 0.007 (0.002) |
| Average delay prestrike | 0.409 | 0.369 | 0.264 | 0.357 | 0.600 | 0.434 |
| Freeways | All | 101 | 105 | 110 and 710 | 10 | Other |
| Parallel transit line | | Red line | Green line | Blue line | Rapid 720 | |
| Sample size | 178,549 | 15,854 | 31,058 | 19,152 | 15,357 | 97,128 |

- Which is the coefficient of interest? strike
- Interpret the coefficient of 0.19: the strike is associated with an increase 0.19 minutes per mile
- This sounds small. Can you interpret this magnitude?

Variation by Location

TABLE 4—EFFECT OF STRIKE ON DELAYS DURING ALL PEAK HOURS

| Average delay (in minutes per mile) | (1) | (2) | (3) | (4) | (5) | (6) |
|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Strike | 0.194 (0.041) | 0.332 (0.076) | 0.218 (0.052) | 0.190 (0.051) | 0.357 (0.128) | 0.125 (0.042) |
| Date | -0.004 (0.002) | -0.003 (0.003) | -0.002 (0.002) | -0.003 (0.002) | -0.005 (0.004) | -0.005 (0.002) |
| Date × strike | 0.007 (0.002) | 0.006 (0.003) | -0.001 (0.002) | 0.007 (0.003) | 0.012 (0.007) | 0.007 (0.002) |
| Average delay prestrike | 0.409 | 0.369 | 0.264 | 0.357 | 0.600 | 0.434 |
| Freeways | All | 101 | 105 | 110 and 710 | 10 | Other |
| Parallel transit line | | Red line | Green line | Blue line | Rapid 720 | |
| Sample size | 178,549 | 15,854 | 31,058 | 19,152 | 15,357 | 97,128 |

- Which is the coefficient of interest? strike
- Interpret the coefficient of 0.19: the strike is associated with an increase 0.19 minutes per mile
- This sounds small. Can you interpret this magnitude?
- Compare to summary stats table (table 3) to find mean:

Variation by Location

TABLE 4—EFFECT OF STRIKE ON DELAYS DURING ALL PEAK HOURS

| Average delay (in minutes per mile) | (1) | (2) | (3) | (4) | (5) | (6) |
|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Strike | 0.194 (0.041) | 0.332 (0.076) | 0.218 (0.052) | 0.190 (0.051) | 0.357 (0.128) | 0.125 (0.042) |
| Date | -0.004 (0.002) | -0.003 (0.003) | -0.002 (0.002) | -0.003 (0.002) | -0.005 (0.004) | -0.005 (0.002) |
| Date × strike | 0.007 (0.002) | 0.006 (0.003) | -0.001 (0.002) | 0.007 (0.003) | 0.012 (0.007) | 0.007 (0.002) |
| Average delay prestrike | 0.409 | 0.369 | 0.264 | 0.357 | 0.600 | 0.434 |
| Freeways | All | 101 | 105 | 110 and 710 | 10 | Other |
| Parallel transit line | | Red line | Green line | Blue line | Rapid 720 | |
| Sample size | 178,549 | 15,854 | 31,058 | 19,152 | 15,357 | 97,128 |

- Which is the coefficient of interest? strike
- Interpret the coefficient of 0.19: the strike is associated with an increase 0.19 minutes per mile
- This sounds small. Can you interpret this magnitude?
- Compare to summary stats table (table 3) to find mean: then it's big! also dep. variable mean is in this table at bottom

Variation by Location

- How do you interpret coefficient on date?

TABLE 4—EFFECT OF STRIKE ON DELAYS DURING ALL PEAK HOURS

| Average delay (in minutes per mile) | (1) | (2) | (3) | (4) | (5) | (6) |
|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Strike | 0.194 (0.041) | 0.332 (0.076) | 0.218 (0.052) | 0.190 (0.051) | 0.357 (0.128) | 0.125 (0.042) |
| Date | -0.004 (0.002) | -0.003 (0.003) | -0.002 (0.002) | -0.003 (0.002) | -0.005 (0.004) | -0.005 (0.002) |
| Date × strike | 0.007 (0.002) | 0.006 (0.003) | -0.001 (0.002) | 0.007 (0.003) | 0.012 (0.007) | 0.007 (0.002) |
| Average delay prestrike | 0.409 | 0.369 | 0.264 | 0.357 | 0.600 | 0.434 |
| Freeways | All | 101 | 105 | 110 and 710 | 10 | Other |
| Parallel transit line | | Red line | Green line | Blue line | Rapid 720 | |
| Sample size | 178,549 | 15,854 | 31,058 | 19,152 | 15,357 | 97,128 |

Variation by Location

TABLE 4—EFFECT OF STRIKE ON DELAYS DURING ALL PEAK HOURS

| Average delay (in minutes per mile) | (1) | (2) | (3) | (4) | (5) | (6) |
|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Strike | 0.194 (0.041) | 0.332 (0.076) | 0.218 (0.052) | 0.190 (0.051) | 0.357 (0.128) | 0.125 (0.042) |
| Date | -0.004 (0.002) | -0.003 (0.003) | -0.002 (0.002) | -0.003 (0.002) | -0.005 (0.004) | -0.005 (0.002) |
| Date × strike | 0.007 (0.002) | 0.006 (0.003) | -0.001 (0.002) | 0.007 (0.003) | 0.012 (0.007) | 0.007 (0.002) |
| Average delay prestrike | 0.409 | 0.369 | 0.264 | 0.357 | 0.600 | 0.434 |
| Freeways | All | 101 | 105 | 110 and 710 | 10 | Other |
| Parallel transit line | | Red line | Green line | Blue line | Rapid 720 | |
| Sample size | 178,549 | 15,854 | 31,058 | 19,152 | 15,357 | 97,128 |

- How do you interpret coefficient on date? one additional day in this period is associated with a decrease in delay of 0.004 minutes per mile
- How do you interpret coefficient on date*strike?

Variation by Location

TABLE 4—EFFECT OF STRIKE ON DELAYS DURING ALL PEAK HOURS

| Average delay (in minutes per mile) | (1) | (2) | (3) | (4) | (5) | (6) |
|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Strike | 0.194 (0.041) | 0.332 (0.076) | 0.218 (0.052) | 0.190 (0.051) | 0.357 (0.128) | 0.125 (0.042) |
| Date | -0.004 (0.002) | -0.003 (0.003) | -0.002 (0.002) | -0.003 (0.002) | -0.005 (0.004) | -0.005 (0.002) |
| Date × strike | 0.007 (0.002) | 0.006 (0.003) | -0.001 (0.002) | 0.007 (0.003) | 0.012 (0.007) | 0.007 (0.002) |
| Average delay prestrike | 0.409 | 0.369 | 0.264 | 0.357 | 0.600 | 0.434 |
| Freeways | All | 101 | 105 | 110 and 710 | 10 | Other |
| Parallel transit line | | Red line | Green line | Blue line | Rapid 720 | |
| Sample size | 178,549 | 15,854 | 31,058 | 19,152 | 15,357 | 97,128 |

- How do you interpret coefficient on date? one additional day in this period is associated with a decrease in delay of 0.004 minutes per mile
- How do you interpret coefficient on date*strike? one additional day after the strike is associated with a 0.007 increase in minutes of delay per mile
- Other columns in this table limit to detectors close to different metro lines
- What is the point the author is trying to make with these extra columns?

Putting Results in Context

- Are these results more relevant for a complete shut-down of the transit system or the impact of DC's metro repair program?

Putting Results in Context

- Are these results more relevant for a complete shut-down of the transit system or the impact of DC's metro repair program?
- The former

Putting Results in Context

- Are these results more relevant for a complete shut-down of the transit system or the impact of DC's metro repair program?
- The former
- A RD can tell you about what the discontinuity does
- Not much precisely beyond that

Recap

Recap of Today

- Everything hinges on a credible discontinuity
- With a good discontinuity
 - we have plausibly random variation
 - and tests for credibility
- Results are specific to the discontinuity

Next Lecture

- Fuzzy RD
- RD Kink
- Read Day and Manoli, linked version
- Summary due next week if you're on the list